

800-233-6294

| Customer: | Date: |
|--------------------|-------|
| Job/Project: | |
| Quantity: Ref/Tag: | |

| Shown | with |
|---------|------|
| Control | Unit |
| GR/B | |

Style 1102 Rubber Expansion Joint

Section Detail

Cover

Reinforcement

4" ID x 10" F/F (DN100mm x 254mm) - 150-lb Drilling | 1102-0004-3.16


general

[22.2mm]

Retaining Ring

Unfilled Arch

(segmented)



| | h ements by 50% ng rates by 400 | | 10" [254 | mm] | | | | |
|--|---------------------------------------|-----------|-----------|-----------|-----------|-----------|--|--|
| | Pure Gum | Neoprene | Butyl | Nitrile | EPDM | Viton® | | |
| Tube | | | | (Buna-N) | | (FKM) | | |
| Cover | | | | | | | | |
| Tire Cord: | ° F [° C] | ∘ F [∘ C] | ° F [∘ C] | ° F [∘ C] | ∘ F [∘ C] | ° F [∘ C] | | |
| Polyester | 180 [82] | 225 [107] | 250 [121] | 210 [99] | 250 [121] | 250 [121] | | |
| Kevlar® | 180 [82] | 225 [107] | 300 [149] | 210 [99] | 350 [177] | 400 [204] | | |
| Maximum Temperature rating based on lowest temperature material selected. EPDM or Butyl w/Polyester Tire Cord rated 300°F (149°C) for Air Service up to 25 psig (1.7 barg) | | | | | | | | |

| Bill of Materials | | | | | | | |
|-----------------------|--------------------------|-----------------------|--|--|--|--|--|
| ITEM | MATERIAL | FINISH | | | | | |
| Retaining Ring | Carbon Steel | Hot Dipped Galvanized | | | | | |
| | Stainless Steel | Plain | | | | | |
| Gusset | Carbon Steel | Hot Dipped Galvanized | | | | | |
| | Stainless Steel | Plain | | | | | |
| Rods | ASTM A193 B7 Alloy Steel | Hot Dipped Galvanized | | | | | |
| | ASTM A193 B8M 316 SS | Plain | | | | | |
| Nuts | ASTM A194 2H Steel | Hot Dipped Galvanized | | | | | |
| | ASTM A194 8M 316 SS | Plain | | | | | |
| Spherical Washers | Stainless Steel | Plain | | | | | |
| Metal Reinforcement | High Tensile Steel | Rubber Embedded | | | | | |
| Textile Reinforcement | Tire Cord | RFL Coating | | | | | |

| | MOVEMENT (non-concurrent) | | | | SPRING RATE | | | | PRESSURE | | WEIGHT | | |
|------------|---------------------------|---------|---------|-----------|-------------|----------|----------|-------------|------------|------------|-----------|----------|----------|
| Comp. | Ext. | Lateral | Angular | Torsional | Comp. | Ext. | Lateral | Angular | Torsional | Pressure | Vacuum | RBJ with | Control |
| in [mm] | in [mm] | in [mm] | deg. | deg. | lb/in | lb/in | lb/in | ft-lb/deg | ft-lb/deg | psig | in-Hg | Rings | Unit |
| | | | | | [N/mm] | [N/mm] | [N/mm] | [N-m/deg] | [N-m/deg] | [barg] | [barg] | lbs [kg] | lbs [kg] |
| 3 1/2 [89] | 1 3/4 [44] | 2 [51] | 44 | 7.2 | 275 [48] | 355 [62] | 295 [51] | 0.95 [1.29] | 2.1 [2.85] | 225 [15.5] | 15 [-0.5] | 21 [9.5] | 12 [5.4] |



*Gusset thickness and pressure listed above are for carbon steel gussets and ASTM A193 B7 rods. Contact General Rubber for stainless steel pressures and thicknesses. Contact General Rubber Corporation for full product specifications, Warnings and installation instructions.