

Customer:		Date:	
Job/Project:			
Quantity:	Ref/Tag:		

Shown	with
Control	Unit
W/B	

Style 1102 Rubber Expansion Joint

Section Detail

Reinforcement

42" ID x 16" F/F (DN1050mm x 406.4mm) - 150-lb Drilling | 1102-0042-3.16

1 1/8" thk.

[28.6mm]

Retaining Ring.

(segmented)




	Pure Gum	ure Gum Neoprene		Nitrile (Buna-N)	EPDM	Viton® (FKM)	
Tube						()	
Cover							
Tire Cord:	° F [° C]	∘ F [∘ C]	° F [° C]	° F [° C]	° F [° C]	∘ F [∘ C]	
Polyester	180 [82]	225 [107]	250 [121]	210 [99]	250 [121]	250 [121]	
Kevlar®	180 [82]	225 [107]	300 [149]	210 [99]	350 [177]	400 [204]	

16" [406.4mm]

		Bill of Materials							
ĺ	ITEM	MATERIAL	FINISH						
1	Retaining Ring	Carbon Steel	Hot Dipped Galvanized						
		Stainless Steel	Plain						
	Gusset	Carbon Steel	Hot Dipped Galvanized						
		Stainless Steel	Plain						
	Rods	ASTM A193 B7 Alloy Steel	Hot Dipped Galvanized						
ı		ASTM A193 B8M 316 SS	Plain						
1	Nuts	ASTM A194 2H Steel	Hot Dipped Galvanized						
		ASTM A194 8M 316 SS	Plain						
	Spherical Washers	Stainless Steel	Plain						
	Metal Reinforcement	High Tensile Steel	Rubber Embedded						
(Textile Reinforcement	Tire Cord	RFL Coating						

MOVEMENT (non-concurrent)				SPRING RATE				PRESSURE		WEIGHT			
Comp.	Ext.	Lateral	Angular	Torsional	Comp.	Ext.	Lateral	Angular	Torsional	Pressure	Vacuum	RBJ with	Control
in [mm]	in [mm]	in [mm]	deg.	deg.	lb/in	lb/in	lb/in	ft-lb/deg	ft-lb/deg	psig	in-Hg	Rings	Unit
					[N/mm]	[N/mm]	[N/mm]	[N-m/deg]	[N-m/deg]	[barg]	[barg]	lbs [kg]	lbs [kg]
5 [127]	2 1/2 [64]	3 [76]	9.6	4.2	1,515 [265]	1,825 [319]	1,510 [264]	537 [728]	943 [1,278]	90 [6.2]	10 [-0.3]	378 [171.8]	121 [55]



*Gusset thickness and pressures listed above are for carbon steel gussets and ASTM A193 B7 rods. Contact General Rubber for stainless steel pressures and thicknesses. Contact General Rubber Corporation for full product specifications, Warnings and installation instructions.